



MATERIAL SAFETY DATA SHEET

BARIUM DIPHENYLAMINE SULPHONATE

1. Chemical Product and Company information.

Product name: Barium Diphenylamine Sulphonate

Contact Information:

Radchem cc
PO Box 166982
Brackendowns
Alberton 1454
Telephone : **011 867 3726 / 2864**

Emergency Telephone Numbers:

2. Hazard Identification

Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation.

3. Composition / information on ingredients

CAS #: 6211-24-1

Synonym: Diphenylamine-4-sulfonic Acid, Barium salt

Chemical Name: Barium Diphenylamine Sulfonate

Chemical Formula: C₂₄-H₂₀-Ba-N₂-O₆-S₂ or Ba(C₆-H₅-N-H-C₆-H₄-S-O₃)₂

4. First Aid Measures

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. WARM water MUST be used. Get medical attention if irritation occurs.

Skin Contact: Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.

Serious Skin Contact: Not available

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,



give oxygen. Get medical attention.

Serious Inhalation: Not available

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

5. Fire-fighting measures

Flammability of the Product: May be combustible at high temperature

Fire Hazards in Presence of Various Substances: Slightly flammable to flammable in presence of heat. Non-flammable in presence of shocks.

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards: As with most organic solids, fire is possible at elevated temperatures

Special Remarks on Explosion Hazards: Not applicable

6. Accidental release measures

Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill: Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. Handling and storage

Precautions: Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not breathe dust. Keep away from incompatibles such as oxidizing agents, acids.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area.

8. Exposure controls/personal protection

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection: Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.



9. Physical and chemical properties

Physical state and appearance: Solid (Powdered solid)

Odour: Odourless

Taste: Not available

Colour: White to Grey

Boiling Point: Decomposes

Melting Point: 300°C

Critical Temperature: Not available

Specific Gravity: Not available

Vapour Density: Not available

Volatility: Not available.

Odour Threshold: Not available

Ionicity (in Water): Not available.

Dispersion Properties: Not available

Solubility: Slightly soluble in cold water

10. Stability and reactivity

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Excess heat, incompatible materials

Incompatibility with various substances: Reactive with oxidizing agents, acids

Corrosivity: Non-corrosive in presence of glass

Special Remarks on Reactivity: Not available

Special Remarks on Corrosivity: Not available

Polymerization: Will not occur.

11. Toxicological information

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals: LD50: Not available. LC50: Not available

Chronic Effects on Humans: CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH. May cause damage to the following organs: kidneys, lungs, heart, cardiovascular system (Barium and Barium-soluble salts)

Other Toxic Effects on Humans: Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available

Special Remarks on other Toxic Effects on Humans: Acute Potential Health Effects: Skin: May cause skin



irritation. Low hazard for usual industrial handling. Eyes: May cause eye irritation. Inhalation: May cause respiratory tract irritation. It is expected to be a low inhalation hazard for usual industrial handling. Ingestion: No information was found for Barium Diphenylamine Sulfonate. It may be harmful if swallowed. The level of toxicity depends on the solubility of the Barium salt. Soluble Barium salts may cause digestive tract irritation with nausea, vomiting, colicky diarrhoea, abdominal pain, increased salivation . Soluble Barium salts may also affect the cardiovascular system (hypothermia, increase in blood pressure, dysrhythmia, chest pain, cardiac arrest), respiration(dyspnoea, shallow breathing, cyanosis), nervous system (dizziness, paralysis, paresthesia, seizures), liver (hepatocellular damage), kidneys(renal failure). Furthermore, Barium poisoning may be characterized by marked hypokalemia which results skeletal muscle paralysis. (Information extrapolated from Barium and Barium Soluble salts).

12. Ecological information

Ecotoxicity: Not available

BOD5 and COD: Not available

Products of Biodegradation: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available.

13. Disposal considerations

Waste Disposal: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport information

DOT Classification: Not a DOT controlled material

Identification: : Not applicable

Special Provisions for Transport: Not applicable

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Radchem CC. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Radchem CC has been advised of the possibility of such damages.

